

NOTE: FIRST LINE : SEAT NO., NAME OF THE CANDIDATE, MOTHER, PERMANENT REG. NO., PREVIOUS SEAT NO., COLLEGE, SEAT NO.

OTHER LINES: HEAD OF PASSING, MAX. MARKS, MIN.PASS MARKS, INT. MARKS, TH. MARKS, TOTAL MARKS OBTAINED, P/F:PASS/FAIL, C:PREVIOUS CARRY OVER

T120352501	ANMOL ABHISHEK	PRINCY	,71413522E	,VPKBIET	,T120352501
SEM.:1			SEM.:2		
303141	AD. MIC & ITS APP	PP 100 40 01 39 40	P C 303146	POWER SYSTEM II	PP 100 40 18 33 51 P C
303141	AD. MIC & ITS APP	OR 50 20	P C 303146	POWER SYSTEM II	TW 25 10 17 P C
303142	ELECTRICAL MACH II	PP 100 40 04 36 40	P C 303146	POWER SYSTEM II	PR 50 20 22 P C
303142	ELECTRICAL MACH II	PR 50 20	P C 303147	CONTROL SYSTEM I	PP 100 40 13 37 50 P C
303143	POWER ELECTRONICS	PP 100 40 06 18 --	F 303147	CONTROL SYSTEM I	OR 50 20 25 P C
303143	POWER ELECTRONICS	PR 50 20	P C 303148	UTILIZ OF ELECTR ENE	PP 100 40 10 30\$ 40 P C
303144	ELE INS MAINT & TEST	PP 100 40 12 31 43	P C 303149	DES OF ELECTRI MACH	PP 100 40 15 23 -- F
303144	ELE INS MAINT & TEST	TW 50 20	P C 303149	DES OF ELECTRI MACH	TW 25 10 17 P C
303145	SEM & TECH COMMUN	TW 50 20	P C 303149	DES OF ELECTRI MACH	OR 50 20 22 P C
311121	INDU & TECHNO MGMT	PP 100 40 12 32 44	P C 303150	ENERGY AUDIT & MGMT	PP 100 40 13 41 54 P C
			303151	ELECTRICAL WORKSHOP	TW 50 20 35 P C

GRAND TOTAL = --/1500 , RESULT:FAILS A.T.K.T. [\$ 0.1]

ORD1MARKS : (303148=>1)

CONFIDENTIAL- FOR VERIFICATION AND RECORD ONLY AT COLLEGE, NOT FOR DISTRIBUTION.....					
T120352502	BHOI KUNDAN ARJUN	SUNITA	,71313599K	,VPKBIET	,T120352502
SEM.:1			SEM.:2		
303141	AD. MIC & ITS APP	PP 100 40 18 28 46	P C 303146	POWER SYSTEM II	PP 100 40 16 34 50 P C
303141	AD. MIC & ITS APP	OR 50 20	P C 303146	POWER SYSTEM II	TW 25 10 14 P C
303142	ELECTRICAL MACH II	PP 100 40 05 35\$ 40	P C 303146	POWER SYSTEM II	PR 50 20 31 P C
303142	ELECTRICAL MACH II	PR 50 20	P C 303147	CONTROL SYSTEM I	PP 100 40 15 28\$ 43 P
303143	POWER ELECTRONICS	PP 100 40 07 33 40#	P 303147	CONTROL SYSTEM I	OR 50 20 23 P C
303143	POWER ELECTRONICS	PR 50 20	P C 303148	UTILIZ OF ELECTR ENE	PP 100 40 10 35 45 P C
303144	ELE INS MAINT & TEST	PP 100 40 14 28 42	P C 303149	DES OF ELECTRI MACH	PP 100 40 08 39 47 P C
303144	ELE INS MAINT & TEST	TW 50 20	P C 303149	DES OF ELECTRI MACH	TW 25 10 14 P C
303145	SEM & TECH COMMUN	TW 50 20	P C 303149	DES OF ELECTRI MACH	OR 50 20 30 P C
311121	INDU & TECHNO MGMT	PP 100 40 12 29 41	P C 303150	ENERGY AUDIT & MGMT	PP 100 40 06 36 42 P C
			303151	ELECTRICAL WORKSHOP	TW 50 20 30 P C

GRAND TOTAL = 685/1500 , RESULT:PASS CLASS [# 0.4]

ORD1MARKS : (303142=>2,303147=>1)

CONFIDENTIAL- FOR VERIFICATION AND RECORD ONLY AT COLLEGE, NOT FOR DISTRIBUTION.....					
T120352504	KALANTRE ATUL MAHESH	MANISHA	,71313740B	,VPKBIET	,T120352504
SEM.:1			SEM.:2		
303141	AD. MIC & ITS APP	PP 100 40 14 02 --	F 303146	POWER SYSTEM II	PP 100 40 17 28 45 P C
303141	AD. MIC & ITS APP	OR 50 20	P C 303146	POWER SYSTEM II	TW 25 10 13 P C
303142	ELECTRICAL MACH II	PP 100 40 18 30 48	P C 303146	POWER SYSTEM II	PR 50 20 28 P C
303142	ELECTRICAL MACH II	PR 50 20	P C 303147	CONTROL SYSTEM I	PP 100 40 12 33 45 P
303143	POWER ELECTRONICS	PP 100 40 04 01 --	F 303147	CONTROL SYSTEM I	OR 50 20 35 P C
303143	POWER ELECTRONICS	PR 50 20	P C 303148	UTILIZ OF ELECTR ENE	PP 100 40 18 34 52 P C
303144	ELE INS MAINT & TEST	PP 100 40 06 39 45	P C 303149	DES OF ELECTRI MACH	PP 100 40 12 32 44 P
303144	ELE INS MAINT & TEST	TW 50 20	P C 303149	DES OF ELECTRI MACH	TW 25 10 11 P C
303145	SEM & TECH COMMUN	TW 50 20	P C 303149	DES OF ELECTRI MACH	OR 50 20 24 P C
311121	INDU & TECHNO MGMT	PP 100 40 03 41 44	P C 303150	ENERGY AUDIT & MGMT	PP 100 40 16 28\$ 44 P C
			303151	ELECTRICAL WORKSHOP	TW 50 20 30 P C

GRAND TOTAL = --/1500 , RESULT:FAILS A.T.K.T. [\$ 0.1]

ORD1MARKS : (303150=>2)

NOTE: FIRST LINE : SEAT NO., NAME OF THE CANDIDATE, MOTHER, PERMANENT REG. NO., PREVIOUS SEAT NO., COLLEGE, SEAT NO.

OTHER LINES: HEAD OF PASSING, MAX. MARKS, MIN.PASS MARKS, INT. MARKS, TH. MARKS, TOTAL MARKS OBTAINED, P/F:PASS/FAIL, C:PREVIOUS CARRY OVER

T120352505	KAMBLE ROHAN DATTATRAY					SARITA					,71212516H					,VPKBIET					,T120352505
SEM.:1										SEM.:2											
303141	AD. MIC & ITS APP	PP	100	40	12	30	42	P	C	303146	POWER SYSTEM II	PP	100	40	09	31\$	40	P	C		
303141	AD. MIC & ITS APP	OR	50	20			27	P	C	303146	POWER SYSTEM II	TW	25	10			13	P	C		
303142	ELECTRICAL MACH II	PP	100	40	09	31\$	40	P	C	303146	POWER SYSTEM II	PR	50	20			22	P	C		
303142	ELECTRICAL MACH II	PR	50	20			24	P	C	303147	CONTROL SYSTEM I	PP	100	40	09	31\$	40	P	C		
303143	POWER ELECTRONICS	PP	100	40	01	22	--	F		303147	CONTROL SYSTEM I	OR	50	20			26	P	C		
303143	POWER ELECTRONICS	PR	50	20			21	P	C	303148	UTILIZ OF ELECTR ENE	PP	100	40	05	35\$	40	P	C		
303144	ELE INS MAINT & TEST	PP	100	40	12	28	40	P	C	303149	DES OF ELECTRI MACH	PP	100	40	10	44	54	P	C		
303144	ELE INS MAINT & TEST	TW	50	20			27	P	C	303149	DES OF ELECTRI MACH	TW	25	10			15	P	C		
303145	SEM & TECH COMMUN	TW	50	20			21	P	C	303149	DES OF ELECTRI MACH	OR	50	20			24	P	C		
311121	INDU & TECHNO MGMT	PP	100	40	06	35	41	P	C	303150	ENERGY AUDIT & MGMT	PP	100	40	09	36	45	P	C		
										303151	ELECTRICAL WORKSHOP	TW	50	20			32	P	C		

GRAND TOTAL = --/1500 , RESULT:FAILS A.T.K.T. [\$ 0.1]

ORD1MARKS : (303142=>3, 303146=>3, 303147=>3, 303148=>3)

.....CONFIDENTIAL- FOR VERIFICATION AND RECORD ONLY AT COLLEGE, NOT FOR DISTRIBUTION.....																			
T120352506	KHILARE SACHIN BALU					RUKMINI			,71313778K			,VPKBIET			,T120352506				
SEM.:1						SEM.:2													
303141	AD. MIC & ITS APP	PP	100	40	12	28	40	P	C	303146	POWER SYSTEM II	PP	100	40	14	17	--	F	
303141	AD. MIC & ITS APP	OR	50	20			22	P	C	303146	POWER SYSTEM II	TW	25	10			13	P	C
303142	ELECTRICAL MACH II	PP	100	40	11	17	--	F		303146	POWER SYSTEM II	PR	50	20			38	P	C
303142	ELECTRICAL MACH II	PR	50	20			26	P	C	303147	CONTROL SYSTEM I	PP	100	40	08	19	--	F	
303143	POWER ELECTRONICS	PP	100	40	05	23	--	F		303147	CONTROL SYSTEM I	OR	50	20			25	P	C
303143	POWER ELECTRONICS	PR	50	20			25	P	C	303148	UTILIZ OF ELECTR ENE	PP	100	40	14	16	--	F	
303144	ELE INS MAINT & TEST	PP	100	40	09	31\$	40	P	C	303149	DES OF ELECTRI MACH	PP	100	40	15	23	--	F	
303144	ELE INS MAINT & TEST	TW	50	20			34	P	C	303149	DES OF ELECTRI MACH	TW	25	10			15	P	C
303145	SEM & TECH COMMUN	TW	50	20			25	P	C	303149	DES OF ELECTRI MACH	OR	50	20			26	P	C
311121	INDU & TECHNO MGMT	PP	100	40	12	29	41	P		303150	ENERGY AUDIT & MGMT	PP	100	40	12	30	42	P	
										303151	ELECTRICAL WORKSHOP	TW	50	20			35	P	C

GRAND TOTAL = --/1500 , RESULT:FAILS [\$ 0.1]

ORD1MARKS : (303144=>3)

.....CONFIDENTIAL- FOR VERIFICATION AND RECORD ONLY AT COLLEGE, NOT FOR DISTRIBUTION.....																	
T120352508		SONKAMBLE KIRAN DNYANOBA				USHATAI			,71413895k		,VPKBIET		,T120352508				
SEM.:1									SEM.:2								
303141	AD. MIC & ITS APP	PP	100	40	15	AA	--	F	303146	POWER SYSTEM II	PP	100	40	12	35	47	P C
303141	AD. MIC & ITS APP	OR	50	20			34	P C	303146	POWER SYSTEM II	TW	25	10			14	P C
303142	ELECTRICAL MACH II	PP	100	40	15	31	46	P C	303146	POWER SYSTEM II	PR	50	20			24	P C
303142	ELECTRICAL MACH II	PR	50	20			22	P C	303147	CONTROL SYSTEM I	PP	100	40	08	AA	--	F
303143	POWER ELECTRONICS	PP	100	40	07	AA	--	F	303147	CONTROL SYSTEM I	OR	50	20			21	P C
303143	POWER ELECTRONICS	PR	50	20			28	P C	303148	UTILIZ OF ELECTR ENE	PP	100	40	16	31	47	P C
303144	ELE INS MAINT & TEST	PP	100	40	14	31	45	P C	303149	DES OF ELECTRI MACH	PP	100	40	09	33	42	P C
303144	ELE INS MAINT & TEST	TW	50	20			26	P C	303149	DES OF ELECTRI MACH	TW	25	10			13	P C
303145	SEM & TECH COMMUN	TW	50	20			25	P C	303149	DES OF ELECTRI MACH	OR	50	20			35	P C
311121	INDU & TECHNO MGMT	PP	100	40	15	28	43	P C	303150	ENERGY AUDIT & MGMT	PP	100	40	19	28	47	P C
									303151	ELECTRICAL WORKSHOP	TW	50	20			38	P C

GRAND TOTAL = --/1500 , RESULT:FAILS A.T.K.T.

AFTER REVAL : [311121 : 23=>28]

NOTE: FIRST LINE : SEAT NO., NAME OF THE CANDIDATE, MOTHER, PERMANENT REG. NO., PREVIOUS SEAT NO., COLLEGE, SEAT NO.
 OTHER LINES: HEAD OF PASSING, MAX. MARKS, MIN.PASS MARKS, INT. MARKS, TH. MARKS, TOTAL MARKS OBTAINED, P/F:PASS/FAIL, C:PREVIOUS CARRY OVER

T120352509 THORAT SHAILESH DADASAHEB SHAILAJA ,71539956L ,VPKBIET ,T120352509

SEM.:1										SEM.:2									
303141	AD. MIC & ITS APP	PP	100	40	19	28	47	P	C	303146	POWER SYSTEM II	PP	100	40	14	28	42	P	C
303141	AD. MIC & ITS APP	OR	50	20			33	P	C	303146	POWER SYSTEM II	TW	25	10			14	P	C
303142	ELECTRICAL MACH II	PP	100	40	13	34	47	P	C	303146	POWER SYSTEM II	PR	50	20			28	P	C
303142	ELECTRICAL MACH II	PR	50	20			23	P	C	303147	CONTROL SYSTEM I	PP	100	40	07	33\$	40	P	C
303143	POWER ELECTRONICS	PP	100	40	16	29	45	P		303147	CONTROL SYSTEM I	OR	50	20			22	P	C
303143	POWER ELECTRONICS	PR	50	20			34	P	C	303148	UTILIZ OF ELECTR ENE	PP	100	40	08	41	49	P	C
303144	ELE INS MAINT & TEST	PP	100	40	18	34	52	P	C	303149	DES OF ELECTRI MACH	PP	100	40	14	43	57	P	C
303144	ELE INS MAINT & TEST	TW	50	20			30	P	C	303149	DES OF ELECTRI MACH	TW	25	10			14	P	C
303145	SEM & TECH COMMUN	TW	50	20			32	P	C	303149	DES OF ELECTRI MACH	OR	50	20			38	P	C
311121	INDU & TECHNO MGMT	PP	100	40	18	30	48	P	C	303150	ENERGY AUDIT & MGMT	PP	100	40	12	37	49	P	C
										303151	ELECTRICAL WORKSHOP	TW	50	20			35	P	C

GRAND TOTAL = 779/1500 , RESULT:SECOND CLASS [\$ 0.1]
 ORD1MARKS : (303147=>1)

AFTER REVAL : [303142 : 24=>34]

CONFIDENTIAL- FOR VERIFICATION AND RECORD ONLY AT COLLEGE, NOT FOR DISTRIBUTION.....
 T120352510 THORAT ASHISH DILIP DHANASHRI ,71212740C ,VPKBIET ,T120352510

SEM.:1										SEM.:2									
303141	AD. MIC & ITS APP	PP	100	40	12	28\$	40	P	C	303146	POWER SYSTEM II	PP	100	40	09	15	--	F	
303141	AD. MIC & ITS APP	OR	50	20			22	P	C	303146	POWER SYSTEM II	TW	25	10			14	P	C
303142	ELECTRICAL MACH II	PP	100	40	02	AA	--	F		303146	POWER SYSTEM II	PR	50	20			23	P	C
303142	ELECTRICAL MACH II	PR	50	20			24	P	C	303147	CONTROL SYSTEM I	PP	100	40	09	AA	--	F	
303143	POWER ELECTRONICS	PP	100	40	01	01	--	F		303147	CONTROL SYSTEM I	OR	50	20			25	P	C
303143	POWER ELECTRONICS	PR	50	20			22	P	C	303148	UTILIZ OF ELECTR ENE	PP	100	40	10	32	42	P	C
303144	ELE INS MAINT & TEST	PP	100	40	10	31	41	P	C	303149	DES OF ELECTRI MACH	PP	100	40	04	00	--	F	
303144	ELE INS MAINT & TEST	TW	50	20			22	P	C	303149	DES OF ELECTRI MACH	TW	25	10			15	P	C
303145	SEM & TECH COMMUN	TW	50	20			21	P	C	303149	DES OF ELECTRI MACH	OR	50	20			24	P	C
311121	INDU & TECHNO MGMT	PP	100	40	14	31	45	P	C	303150	ENERGY AUDIT & MGMT	PP	100	40	08	32\$	40	P	C
										303151	ELECTRICAL WORKSHOP	TW	50	20			32	P	C

GRAND TOTAL = --/1500 , RESULT:FAILS [\$ 0.1]
 ORD1MARKS : (303141=>2,303150=>1)

CONFIDENTIAL- FOR VERIFICATION AND RECORD ONLY AT COLLEGE, NOT FOR DISTRIBUTION.....